

# Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 1 of 5

(All fields must be completed and legible for precertification review.)

For Michigan MMP:
FAX: 1-844-241-2495
PHONE: 1-855-676-5772
For other lines of business:
Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type.

Please indicate:   Start	·				See section G	below.
☐ Conti	nuation of therapy: Date o	of last treatment	<u> </u>			
Precertification Requested	Ву:		Phone:		Fax:	
A. PATIENT INFORMATION						
First Name:			Last Name:			
Address:			City:		State:	ZIP:
Home Phone:	Worl	k Phone:		Cell Phone:		
DOB:	Allergies:			E-mail:		
Current Weight:	lbs orkgs	Height: _	inches or	cms	i	
B. INSURANCE INFORMATIO		ı				
Aetna Member ID #:		Does patient have o	_	☐ Yes ☐ No		
Group #:			(	Carrier Name:		
Insured:		Insured:	_			
Medicare: ☐ Yes ☐ No If		_	Medicaid: Yes	☐ No If yes, pr	ovide ID #:	
C. PRESCRIBER INFORMATION	ON	L t N		(0)	\	
First Name:		Last Name:	la:	(Check One	1	O.
Address:	<u></u>	T	City:	1	State:	ZIP:
Phone:	Fax:	St Lic #:	NPI #:	DEA #:	UPI	IN:
Provider E-mail:		Office Contact Nam			Phone:	
Specialty (Check one):	<u> </u>		neumatologist 🔲 O	ther:		
D. DISPENSING PROVIDER/A	DMINISTRATION INFORM	ATION				
Place of Administration:	_				y: Patient Select	
	☐ Physician's Office		<del>-</del>		☐ Retail Pharma	-
Outpatient Infusion Center Center Name:				-	Other	
	Phone:					
☐ Administration code(s) (CPT			<del></del>		State:	
Address:	04-4-	710			Fax:	
City:Phone:					PIN:	
TIN:			—   NPI:			
NPI:			<u> </u>			
E. PRODUCT INFORMATION						
Request is for: Avsola (inflix	kimab-axxq) Dose:		Frequenc	cy:		
F. DIAGNOSIS INFORMATION	I – Please indicate primary l	CD Code and specify	any other where applica	able.		
Primary ICD Code:	Second	dary ICD Code:		Other ICD C	Code:	
G. CLINICAL INFORMATION – Required clinical information must be completed in its entirety for all precertification requests.						
For All Requests (clinical documentation required for all requests):						
Note: Avsola is non-preferred. The preferred products for MA plans are Entyvio, Inflectra, Remicade, and Simponi Aria. For MAPD plans, Inflectra, Entyvio, and Remicade, are preferred for ulcerative colitis and Enbrel, Humira, Kevzara, Otezla, Rinvoq, Skyrizi, and Xeljanz/Xeljanz XR are preferred						
for other indications. Preferred products vary based on indication.						
Yes No Has the patient had prior therapy with Avsola (infliximab-axxq) within the last 365 days?						
☐ Yes ☐ No Has the patient had a trial and failure, intolerance, or contraindication to any of the following? (select all that apply)						
☐ Entyvio (vedolizumab) ☐ Inflectra (infliximab-dyyb) ☐ Remicade (infliximab) ☐ Simponi Aria (golimumab) ☐ Yes ☐ No Has the patient had a trial and failure, intolerance, or contraindication to any of the following? (select all that apply)						
☐ Enbrel (etanercept) ☐ Humira (adalimumab) ☐ Kevzara (sarilumab) ☐ Otezla (apremilast) ☐ Rinvoq (upadacitinib)						
Skyrizi (risankizumab-rzaa) Xeljanz/Xeljanz XR (tofacitinib)  Please explain if there are any other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's						
diagnosis (select all the apply)						
☐ Entyvio (vedolizumab) ☐ Inflectra (infliximab-dyyb) ☐ Remicade (infliximab) ☐ Simponi Aria (golimumab)						
-						_



# Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

For Michigan MMP: FAX: 1-844-241-2495 PHONE: 1-855-676-5772

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB		
G. CLINICAL INFORMATION (continued)					
diagnosis (select all the apply)	al reason(s) that the patient canno	t use any of the following preferr	red products when indicated for the patient's		
,	☐ Humira (adalimumab) ☐ Kevz	zara (sarilumab) 🔲 Otezla (apr	emilast) Rinvoq (upadacitinib)		
☐ Skyrizi (risankizumab-	rzaa) 🔲 Xeljanz/Xeljanz XR (tof	acitinib)			
Ves DNs Will the resurrented during he			dianana madifisiran anti abassantia davar (DMADD)		
(e.g., Olumiant, Xeljanz)?	used in combination with any other	er biologic or targeted synthetic c	disease-modifying anti-rheumatic drug (DMARD)		
☐ Yes ☐ No Has the patient received a					
Yes No Has the pa		D test, interferon-release assay	(IGRA) or chest x-ray within 6 months of initiating		
1 1	l that apply): ☐ PPD test  ☐ intel	feron-gamma assay (IGRA)	] chest x-ray		
Please er	nter the results of the TB test: 🗌 p	ositive negative unknow	wn		
	<b>e,</b> Does the patient have latent or a <b>B,</b> ☐ Yes ☐ No Has treatment				
ii latent i		: Treatment initiated treat			
· '	patient have risk factors for TB?	(TD) :: (			
	<ul><li>No Has the patient been tested</li><li>→ (Check all that apply): ☐ P</li></ul>				
	Please enter the results of	the TB test: 🗌 positive 📗 nega	ative 🔲 unknown		
		it have latent or active TB?   It is a transfer or the latent tuber.			
			culosis (TB) infection been initiated or completed? nitiated		
For Initiation Requests:		/ Tidade delect. 🖂 treatment i	muddod 🗀 doddinonid domphotod		
Ankylosing spondylitis or axial spondylo					
Please select which of the following applies  Yes No Has the patient previously	i to the patient:	ng spondylitis (AS)	xial spondyloarthritis		
			onsteroidal anti-inflammatory drugs (NSAIDs), or		
	ntolerance or contraindication to at				
Please indicate the preferred alternatives for ankylosing spondylitis (AS) or axial spondyloarthritis that have been ineffective, not tolerated, or are contraindicated:  Cosentyx Enbrel Humira Remicade Simponi Aria					
Behçet's syndrome					
☐ Yes ☐ No Has the patient received O					
<u> </u>		nse to at least one nonbiologic n	nedication for Behçet's disease (e.g., colchicine,		
Crohn's disease	ic glucocorticoids, azathioprine)?				
Yes No Has the patient been diagn	osed with moderately to severely	active Crohn's disease (CD)?			
Yes No Does the	patient have fistulizing Crohn's di	sease?			
1	patient previously received a biolog				
Yes			at least one conventional therapy option? on or intolerance to at least one conventional		
	therap	y option (e.g.,azathioprine [Azas	san, Imuran], budesonide [Entocort EC],		
	ciprofl	oxacin [Cipro], mercaptopurine [	Purinethol], methylprednisolone [Solu-Medrol],		
		itrexate, metronidazole [Flagyi],   nin [Xifaxan], tacrolimus)?	prednisone, sulfasalazine [Azulfidine, Sulfazine],		
			☐ Metronidazole (Flagyl) ☐ Ciprofloxacin		
	` ` / —		Azathioprine (Azasan, Imuran)		
		•	Methylprednisolone (Solu-Medrol)		
Rifaximin (Xifaxan) Tacrolimus  Please indicate the preferred alternatives for Crohn's disease that have been ineffective, not tolerated, or are contraindicated:					
☐ Humira ☐ Entyvio ☐ Remicade ☐ Stelara (intravenous formulation)					
Granulomatosis with polyangiitis (Wegener's granulomatosis)					
Yes No Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy (e.g., cyclophosphamide, azathioprine, methotrexate, or mycophenolate mofetil)?					
		e to corticosteroids and immuno	suppressive therapy (e.g., cyclophosphamide,		
azathio	orine, methotrexate, or mycopheno	plate mofetil)?			
Y€		a contraindication to corticosterd de, azathioprine, methotrexate, d	oids and immunosuppressive therapy or mycophenolate mofetil)?		



## Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 3 of 5

(All fields must be completed and legible for precertification review.)

For Michigan MMP: FAX: 1-844-241-2495 PHONE: 1-855-676-5772

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB	
G. CLINICAL INFORMATION (continued)	<ul> <li>Required clinical information must be</li> </ul>	completed in its entirety for all pre	ecertification requests.	
Hidradenitis suppurativa	•		·	
☐ Yes ☐ No Has the patient been diagn	osed with severe, refractory hidradenitis	suppurativa?		
Yes No Has the patient previously			ctory hidradenitis suppurativa?	
l —	e patient experienced an inadequate resp	· · · · · · · · · · · · · · · · · · ·	, , , , , , , , , , , , , , , , , , , ,	
	es 🔲 No Has the patient experienced	an intolerable adverse effect to o	ral antibiotics?	
		patient have a contraindication to	oral antibiotics?	
☐ Yes ☐ No Has the patient had an inef	fective response, contraindication or into	plerance to Humira?		
Juvenile idiopathic arthritis				
☐ Yes ☐ No Has the patient previously				
	patient experienced an inadequate respo			
			ent with corticosteroids (e.g., prednisone,	
, ,	, —		east 3 months of treatment with leflunomide	
Yes ☐ No Has the patient had an inef☐ Yes ☐ No Has the patient had an inef☐				
— ·	nective response, contraindication of into	Dierance to Embrer?		
Immune checkpoint inhibitor toxicity	d an inadequate recognite to continue to	oido?		
Yes ☐ No Has the patient experience ☐ Yes ☐ No Does the		oias?		
	patient have cardiac toxicity?			
Plaque psoriasis		-:-0		
Yes No Has the patient been diagn			mh af abasasia a sucasa alamua masasiasia?	
Yes No Has the patient previously	received Otezia or any other biologic me body surface area (BSA) affected (prior t		· · · ·	
Please select: \( \square\) Less th		o starting the requested medically	Jii):	
		hands, feet, face, neck, scalp, ge	nitals/groin, intertriginous areas) affected?	
	than or equal to 3% of BSA	p, g-	······································	
☐ Yes ☐ No Has the	patient experienced an inadequate respo	onse, or has an intolerance to pho	ototherapy (e.g., UVB, PUVA) or	
l	ologic treatment with methotrexate, cycle	•		
└── ☐ Yes	No Does the patient have a clinical	reason to avoid pharmacologic tr	eatment with methotrexate,	
	cyclosporine and acitretin?		nonto o biologio DMADD do finat lina	
			rants a biologic DMARD as first-line	
		κ, scalp, genitals/groin, intertrigino	ea (BSA) or crucial body areas (e.g., hands,	
	→ Please indicate clinical reason to avoid pharmacologic treatment: ☐ Alcoholism, alcoholic liver disease or other chronic liver disease ☐ Breastfeeding ☐ Cannot be used due to risk of treatment-related toxicity			
☐ Drug interaction with traditional systemic agent ☐ Pregnancy or planning pregnancy ☐ Significant			•	
comorbidity prohibits use of systemic agents (e.g., liver or kidney disease, blood dyscrasias, uncontrolled				
hypertension)				
Other reason to avoid pharmacologic treatment				
Yes No Does the patient have severe psoriasis that warrants a biologic DMARD as first-line				
			ce area (BSA) or crucial body areas (e.g.,	
hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) are affected)?				
Please indicate the preferred alternatives for plaque psoriasis that have been ineffective, not tolerated, or are contraindicated:				
☐ Humira ☐ Ilumya ☐ Otezla ☐ Remicade ☐ Skyrizi ☐ Stelara ☐ Taltz ☐ Tremfya				
Psoriatic arthritis				
☐ Yes ☐ No Has the patient been diagnosed with active psoriatic arthritis (PsA)?				
Please indicate the preferred alternatives for psoriatic arthritis that have been ineffective, not tolerated, or are contraindicated:				
-				
Pyoderma gangrenosum  Vos. — No. Healtha patient previously received a historia medication indicated for the treatment of pyoderma gangrenosum?				
☐ Yes ☐ No Has the patient previously received a biologic medication indicated for the treatment of pyoderma gangrenosum?  ☐ Yes ☐ No Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy (e.g., cyclosporine				
or mycophenolate mofetil)?				
		n intolerance to corticosteroids an	d immunosuppressive therapy (e.g.,	
Yes No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g., cyclosporine or mycophenolate mofetil)?				
Yes No Does the patient have a contraindication to corticosteroids and immunosuppressive				
	therapy (e.g	., cyclosporine mycophenolate me	ofetil)?	

Continued on next page



## Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 4 of 5

(All fields must be completed and legible for precertification review.)

For Michigan MMP: FAX: 1-844-241-2495 PHONE: 1-855-676-5772

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB	
C. CLINICAL INFORMATION (constituted). B.				
G. CLINICAL INFORMATION (continued) – Re Reactive arthritis	equired clinical information must be comple	eted in its <u>entirety</u> for all precertific	cation requests.	
Yes No Has the patient previously recei	ved a biologic medication indicated for the	treatment of reactive arthritis?		
Yes No Has the patient	nt experienced an inadequate response aft		with methotrexate titrated	
20 mg per we	ek? No   Has the patient experienced intolerand	ce to methotrevate?		
— Julies L	→ ☐ Yes ☐ No Does the patient have		rate?	
		contraindication:  History of into		
	☐ Alcoholism, alcoh	nolic liver disease or other chronic	liver disease	
		nterstitial pneumonitis or clinically	• •	
			nancy Breastfeeding Blood	
		ombocytopenia, leukopenia, signi ☐ Significant drug interaction ☐	ficant anemia)	
Rheumatoid arthritis			Culoi	
☐ Yes ☐ No Has the patient been diagnosed	with moderately to severely active rheuma	atoid arthritis (RA)?		
Yes No Has the patient previously received	ved a biologic or targeted synthetic disease	e modifying drug (e.g., Xeljanz) in	dicated for moderately to severely	
active rheumatoid arthritis?	ad madication being proporthad in combine	ation with mothetroyete or leftune	mido?	
	ed medication being prescribed in combinate a clinical reason for the patient to not use			
event  Alco	pholism, alcoholic liver disease or other chr	ronic liver disease 🔲 Elevated liv	ver transaminases  Interstitial	
	or clinically significant pulmonary fibrosis			
	ling  ☐ Blood dyscrasias (e.g., thrombocyt itivity  ☐ Significant drug interaction	topenia, ieukopenia, signilicant ar	iemia) 🔲 iviyelodyspiasia	
1	Does the patient have other reason or n	o clinical reason not to use metho	otrexate or leflunomide?	
	Please explain:			
☐ Yes ☐ No	Has the patient experienced an inadequ		ths of treatment with the	
	methotrexate dose greater than or equa  → □ Yes □ No Has the patient experie		,	
	Yes \( No Doc	es the patient have a contraindica	ation to methotrexate?	
	└────────────────────────────────────	ase indicate the contraindication:		
		History of intolerance or adverse		
		Alcoholism, alcoholic liver diseas		
			Interstitial pneumonitis or clinically nal impairment  Pregnancy or	
		nning pregnancy   Breastfeedir		
	thrombocytopenia, leukopenia, significant anemia) 🔲 Myelodysplasia			
☐ Hypersensitivity ☐ Significant drug interaction ☐ Other				
→ □ Ves □ No. Is the requeste		No clinical reason not to use metle tion with methotrexate or leftunon		
	☐ Yes ☐ No Is the requested medication being prescribed in combination with methotrexate or leflunomide? ☐ Please indicate a clinical reason for the patient to not use methotrexate or leflunomide: ☐ History of intolerance or adverse			
	holism, alcoholic liver disease or other chro			
pneumonitis or clinically significant pulmonary fibrosis ☐ Renal impairment ☐ Pregnancy or planning pregnancy ☐ Breastfeeding ☐ Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia) ☐ Myelodysplasia				
☐ Hypersensitivity ☐ Significant drug interaction ☐ Other ☐ No clinical reason not to use methotrexate or leflunomide				
Please indicate the preferred alternatives for rheumatoid arthritis have been ineffective, not tolerated, or are contraindicated:				
☐ Enbrel ☐ Humira ☐ Kevzara ☐ Orencia ☐ Remicade ☐ Rinvoq ☐ Simponi Aria ☐ Xeljanz/Xeljanz XR				
Sarcoidosis				
☐ Yes ☐ No Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy?  ☐ Yes ☐ No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy?				
Yes No Does the patient have a contraindication to corticosteroids and immunosuppressive therapy?				
Takayasu's arteritis				
See No. Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?				
mycopnenolate moretil)?  Tyes  \text{No} Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g., methotrexate,				
azathioprine, or mycophenolate mofetil)?				
Yes No Does the patient have a contraindication to corticosteroids and immunosuppressive therapy				
(e.g., methotrexate, azathioprine, or mycophenolate mofetil)?				

Continued on next page



## Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

For Michigan MMP: FAX: 1-844-241-2495 PHONE: 1-855-676-5772

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB		
G. CLINICAL INFORMATION (continu	ed) – Required clinical information	must be completed in its <u>entirety</u>	for all precertification requests.		
Ulcerative colitis  ☐ Yes ☐ No Has the patient been diagn	and with moderately to anyonaly act	ive ulcerative solitic (LIC)?			
	patient been hospitalized for fulminar		hleeding severe toxic symptoms		
	fever and anorexia)?	it dicerative contis (e.g., continuous	bleeding, severe toxic symptoms,		
	☐ Yes ☐ No Has the patient previously received a biologic or targeted synthetic disease modifying drug (e.g., Xeljanz) indicated for				
	ely to severely active ulcerative colitis		, , , ,		
└── ☐ Yes	No Has the patient tried and ha	d an inadequate response to at lea	st one conventional therapy option?		
			ntolerance to at least one conventional		
			nuran], corticosteroid [e.g., budesonide,		
			dnisolone, prednisone, cyclosporine Pentasa, Canasa, Rowasa], mercaptopurine		
		ol], sulfasalazine, tacrolimus [Progr			
		itis only])?	,		
			steroid (e.g., budesonide [Entocort, Uceris],		
			thylprednisolone [Medrol, Solu-Medrol],		
			ne (e.g., Apriso, Asacol, Lialda, Pentas, Canasa, ☐ Tacrolimus (Prograf) ☐ Metronidazole		
	(Flagyl) or Ciprofloxacin (		Tasisimias (Fregiai)   Metisimaa2sis		
	Please indicate the preferred alternatives for ulcerative colitis that have been ineffective, not tolerated, or are contraindicated:				
☐ Humira ☐ Entyvio ☐ Remicade ☐ Xeljanz ☐ Stelara (intravenous formulation)					
Uveitis					
Yes No Has the patient previously					
	rine, or mycophenolate mofetil)?	sponse with corticosteroids or imm	unosuppressive therapy (e.g., methotrexate,		
→ ☐ Yes ☐ No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g.,					
methotrexate, azathioprine, or mycophenolate mofetil)?					
Yes No Does the patient have a contraindication to corticosteroids and immunosuppressive					
therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?					
Yes No Has the patient had an ineffective response, contraindication or intolerance to Humira?					
For Continuation Requests:					
☐ Yes ☐ No Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program? ☐ Yes ☐ No Has the patient achieved or maintained positive clinical response as evidenced by low disease activity or improvement in signs and symptoms					
since starting treatment with the requested drug?					
H. ACKNOWLEDGEMENT					
H. ACKNOWLEDGEMENT					
Request Completed By (Signature Red	juired):		Date: //		
Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.					

The plan may request additional information or clarification, if needed, to evaluate requests.