			<b>*</b> a	etna •
AETNA BE	TTER HEALTH®			
Coverage	Policy/Guideline			
Name:	Dysport		Page:	1 of 3
Effective Date: 1/29/2024			Last Review Date:	12/2023
Applica	⊠Illinois	□Florida	⊠Florida Kids	
Applies to:	⊠New Jersey	⊠Maryland	□Michigan	
	⊠Pennsylvania Kids	⊠Virginia	□Arizona	

#### Intent:

The intent of this policy/guideline is to provide information to the prescribing practitioner outlining the coverage criteria for Dysport under the patient's prescription drug benefit.

### **Description:**

The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met and the member has no exclusions to the prescribed therapy.

# A. FDA-Approved Indications

- 1. Treatment of cervical dystonia in adults
- 2. Treatment of spasticity in patients 2 years of age and older

### B. Compendial Uses

- 1. Blepharospasm
- 2. Hemifacial spasm
- 3. Chronic anal fissures
- 4. Excessive salivation
- 5. Primary axillary hyperhidrosis

All other indications are considered experimental/investigational and not medically necessary.

# **Applicable Drug List:**

Dysport

# **Policy/Guideline:**

# **Prescriber Specialty:**

The medication must be prescribed by, or in consultation with one of the following:

- A. Cervical dystonia, spasticity, hemifacial spasm: neurologist, orthopedist or physiatrist
- B. Blepharospasm: neurologist or ophthalmologist
- C. Chronic anal fissures: gastroenterologist, proctologist or colorectal surgeon
- D. Excessive salivation: neurologist or otolaryngologist
- E. Primary axillary hyperhidrosis: neurologist, dermatologist or internist.

#### **Exclusions:**

Coverage will not be provided for cosmetic use.

			<b>*</b> ac	etna •
AETNA BETTER HEALTH®				
Coverage	Policy/Guideline			
Name:	Dysport		Page:	2 of 3
Effective Date: 1/29/2024			Last Review Date:	12/2023
Applies	⊠Illinois	□Florida	⊠Florida Kids	
Applies to:	⊠New Jersey	⊠Maryland	□Michigan	
	⊠Pennsylvania Kids	⊠Virginia	□Arizona	

# **Criteria for Initial Approval:**

## A. Cervical dystonia

Authorization of 12 months may be granted for treatment of adults with cervical dystonia (e.g., torticollis) when all of the following are met:

- 1. Member is 18 years of age or older
- 2. Member has abnormal placement of the head with limited range of motion in the neck.

# B. Upper or lower limb spasticity

Authorization of 12 months may be granted for treatment of upper or lower limb spasticity when all of the following are met:

- 1. Member is 2 years of age or older
- 2. Member has a primary diagnosis of upper or lower limb spasticity or as a symptom of a condition (including focal spasticity or equinus gait due to cerebral palsy)

### C. Blepharospasm

Authorization of 12 months may be granted for treatment of blepharospasm, including blepharospasm associated with dystonia and benign essential blepharospasm.

### D. Hemifacial spasm

Authorization of 12 months may be granted for treatment of hemifacial spasm.

#### E. Chronic anal fissures

Authorization of 12 months may be granted for treatment of chronic anal fissures when the member has not responded to first-line therapy such as topical calcium channel blockers or topical nitrates.

# F. Excessive salivation

Authorization of 12 months may be granted for treatment of excessive salivation (chronic sialorrhea) when the member has been refractory to pharmacotherapy (e.g., anticholinergics).

## G. Primary axillary hyperhidrosis

Authorization of 12 months may be granted for treatment of primary axillary hyperhidrosis when all of the following criteria are met:

1. Significant disruption of professional and/or social life has occurred because of excessive sweating; and

			<b>♥</b> ac	etna **
AETNA BE	TTER HEALTH®			
Coverage	Policy/Guideline			
Name:	Dysport		Page:	3 of 3
Effective Date: 1/29/2024			Last Review Date:	12/2023
Applica	⊠Illinois	□Florida	⊠Florida Kids	
Applies to:	⊠New Jersey	⊠Maryland	□Michigan	
	⊠Pennsylvania Kids	⊠Virginia	□Arizona	

2. Topical aluminum chloride or other extra-strength antiperspirants are ineffective or result in a severe rash.

# **Continuation of Therapy:**

All members (including new members) requesting authorization for continuation of therapy must meet all initial authorization criteria and be experiencing benefit from therapy.

# **Approval Duration and Quantity Restrictions:**

Approval: 12 months

#### **References:**

- 1. Dysport [package insert]. Wrexham, UK: Ipsen Biopharm, Ltd.; January 2023.
- 2. DRUGDEX® System (electronic version). Truven Health Analytics, Ann Arbor, MI. Available at <a href="http://www.micromedexsolutions.com">http://www.micromedexsolutions.com</a>. Accessed August 2, 2023.
- 3. Lexi-Drugs. Hudson, OH: Lexicomp, 2019. http://online.lexi.com/. Accessed August 2, 2022.
- Simpson DM, Hallett M, Ashman EJ et al. Practice guideline update summary: Botulinum neurotoxin for the treatment of blepharospasm, cervical dystonia, adult spasticity, and headache. Report of the Guideline Development Subcommittee of the American Academy of Neurology. Neurology 2016;86:1818-1826.
- 5. Dashtipour K, Chen JJ, Frei K, et al. Systemic Literature Review of AbobotulinumtoxinA in Clinical Trials for Blepharospasm and Hemifacial Spasm. Tremor Other Hyperkinet Mov (NY). 2015;5:338.
- 6. Lakraj AA, Moghimi N, Jabbari B. Sialorrhea: Anatomy, Pathophysiology and Treatment with Emphasis on the Role of Botulinum Toxins. *Toxins* 2013, 5, 1010-1031
- 7. Glader L, Delsing C, Hughes A et al. Sialorrhea in cerebral palsy. American Academy for Cerebral Palsy and Developmental Medicine Care Pathways. https://www.aacpdm.org/publications/care-pathways/sialorrhea. Accessed August 2, 2023.
- 8. Garuti G, Rao F, Ribuffo V et al. Sialorrhea in patients with ALS: current treatment options. Degener Neurol Neuromuscul Dis. 2019; 9: 19–26.