			♥ ad	etna •
AETNA BE	TTER HEALTH®			
Coverage	Policy/Guideline			
Name:	Remodulin		Page:	1 of 4
Effective D	Date: 12/21/2023		Last Review Date:	11/2023
Applies	⊠Illinois	□Florida	⊠Florida Kids	
Applies to:	☐New Jersey	⊠Maryland	□Michigan	
	⊠Pennsylvania Kids	□Virginia	⊠Kentucky PRMD	

Intent:

The intent of this policy/guideline is to provide information to the prescribing practitioner outlining the coverage criteria for Remodulin (treprostinil) under the patient's prescription drug benefit.

Description:

FDA-Approved Indications

- A. Treatment of pulmonary arterial hypertension (PAH; WHO Group 1) to diminish symptoms associated with exercise. Studies establishing effectiveness included patients with NYHA Functional Class II-IV symptoms and etiologies of idiopathic or heritable PAH, PAH associated with congenital systemic-to-pulmonary shunts, or PAH associated with connective tissue diseases.
- B. Patients with PAH requiring transition from epoprostenol, treprostinil/Remodulin to reduce the rate of clinical deterioration. The risks and benefits of each drug should be carefully considered prior to transition.

All other indications are considered experimental/investigational and not medically necessary.

Applicable Drug List:

Remodulin treprostinil

Policy/Guideline:

Prescriber Specialty

This medication must be prescribed by or in consultation with a pulmonologist or cardiologist.

Criteria for Initial Approval

Pulmonary Arterial Hypertension (PAH)

Authorization of 12 months may be granted for treatment of PAH when ALL of the following criteria are met:

- A. Member has PAH defined as WHO Group 1 class of pulmonary hypertension (refer to Appendix).
- B. PAH was confirmed by either criterion (1) or criterion (2) below:
 - 1. Pretreatment right heart catheterization with all of the following results:

			* a	etna
AETNA BE	TTER HEALTH®			
Coverage	Policy/Guideline			
Name:	Remodulin		Page:	2 of 4
Effective Date: 12/21/2023			Last Review Date:	11/2023
Analica	⊠Illinois	□Florida	⊠Florida Kids	
Applies to:	☐New Jersey	⊠Maryland	□Michigan	
	⊠Pennsylvania Kids	□Virginia	⊠Kentucky PRMD	

- i. mPAP > 20 mmHg
- ii. PCWP ≤ 15 mmHg
- iii. Pulmonary vascular resistance (PVR) \geq 3 Wood units in adult patients or pulmonary vascular resistance index (PVRI) \geq 3 Wood units x m² in pediatric patients
- 2. For infants less than one year of age, PAH was confirmed by Doppler echocardiogram if right heart catheterization cannot be performed.
- C. Patient is unable to take the required number of formulary alternatives (3) for the given diagnosis due to a trial and inadequate treatment response or intolerance, or a contraindication

Criteria for Continuation of Therapy

Authorization of 12 months may be granted for members with an indication listed in criteria for initial approval who are currently receiving the requested medication through a paid pharmacy or medical benefit, and who are experiencing benefit from therapy as evidenced by disease stability or disease improvement.

Appendix

WHO Classification of Pulmonary Hypertension 1 PAH

- 1.1 Idiopathic (PAH)
- 1.2 Heritable PAH
- 1.3 Drug- and toxin-induced PAH
- 1.4. PAH associated with:
 - 1.4.1 Connective tissue diseases
 - 1.4.2 HIV infection
 - 1.4.3 Portal hypertension
 - 1.4.4 Congenital heart diseases
 - 1.4.5 Schistosomiasis
- 1.5 PAH long-term responders to calcium channel blockers
- 1.6 PAH with overt features of venous/capillaries (PVOD/PCH) involvement
- 1.7 Persistent PH of the newborn syndrome

2 PH due to left heart disease

- 2.1 PH due to heart failure with preserved LVEF
- 2.2 PH due to heart failure with reduced LVEF
- 2.3 Valvular heart disease
- 2.4 Congenital/acquired cardiovascular conditions leading to post-capillary PH

			* a	etna
AETNA BE	TTER HEALTH®			
Coverage	Policy/Guideline			
Name:	Remodulin		Page:	3 of 4
Effective Date: 12/21/2023			Last Review Date	11/2023
Applica	⊠Illinois	□Florida	⊠Florida Kids	
Applies to:	☐New Jersey	⊠Maryland	□Michigan	
	⊠Pennsylvania Kids	□Virginia	⊠Kentucky PRMD	

3 PH due to lung diseases and/or hypoxia

- 3.1 Obstructive lung disease
- 3.2 Restrictive lung disease
- 3.3 Other lung disease with mixed restrictive/obstructive pattern
- 3.4 Hypoxia without lung disease
- 3.5 Developmental lung disorders

4 PH due to pulmonary artery obstruction

- 4.1 Chronic thromboembolic PH
- 4.2 Other pulmonary artery obstructions
 - 4.2.1 Sarcoma (high or intermediate grade) or angiosarcoma
 - 4.2.2 Other malignant tumors

Renal carcinoma

Uterine carcinoma

Germ cell tumours of the testis

Other tumours

4.2.3 Non-malignant tumours

Uterine leiomyoma

- 4.2.4 Arteritis without connective tissue disease
- 4.2.5 Congenital pulmonary artery stenosis
- 4.2.6 Parasites

Hydatidosis

5 PH with unclear and/or multifactorial mechanisms

5.1 Hematologic disorders: Chronic hemolytic anemia, myeloproliferative disorders

5.2 Systemic and metabolic disorders: Pulmonary Langerhans cell histiocytosis, Gaucher disease, glycogen storage disease, neurofibromatosis, sarcoidosis

5.3 Others: chronic renal failure with or without hemodialysis, fibrosing mediastinitis

5.4 Complex congenital heart disease

Approval Duration and Quantity Restrictions:

Approval: 12 months

References:

- 1. Remodulin [package insert]. Research Triangle Park, NC: United Therapeutics Corp.; July 2021.
- 2. Treprostinil [package insert]. Princeton, NJ: Sandoz, Inc.; April 2019.
- 3. Chin KM, Rubin LJ. Pulmonary arterial hypertension. *J Am Coll Cardiol*. 2008;51(16):1527-1538.
- 4. McLaughlin VV, Archer SL, Badesch DB, et al. ACCF/AHA 2009 expert consensus document on pulmonary hypertension a report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents and the American Heart Association developed in collaboration

			♥ a	etna
AETNA BE	TTER HEALTH®			
Coverage	Policy/Guideline			
Name:	Remodulin		Page:	4 of 4
Effective [Date: 12/21/2023		Last Review Da	te: 11/2023
Applica	⊠Illinois	□Florida	⊠Florida Kids	
Applies to:	□ New Jersey	⊠Maryland	□Michigan	
	⊠Pennsylvania Kids	□Virginia	⊠Kentucky PRMD	

with the American College of Chest Physicians, American Thoracic Society, Inc., and the Pulmonary Hypertension Association. *J Am Coll Cardiol*. 2009;53(17):1573-1619.

- 5. Badesch DB, Champion HC, Gomez-Sanchez MA, et al. Diagnosis and assessment of pulmonary arterial hypertension. *J Am Coll Cardiol*. 2009;54:S55-S66.
- Rubin LJ; American College of Chest Physicians. Diagnosis and management of pulmonary arterial hypertension: ACCP evidence-based clinical practice guidelines. *Chest*. 2004;126(1 Suppl):7S-10S.
- 7. Barst RJ, Gibbs SR, Ghofrani HA, et al. Updated evidence-based treatment algorithm in pulmonary arterial hypertension. *J Am Coll Cardiol*. 2009;54:S78-S84.
- 8. Taichman DB, Ornelas J, Chung L, et al. Pharmacologic therapy for pulmonary arterial hypertension in adults. CHEST guideline and expert panel report. *Chest*. 2014;46(2):449-475.
- 9. Abman SH, Hansmann G, Archer SL, et al. Pediatric pulmonary hypertension: guidelines from the American Heart Association and American Thoracic Society. *Circulation*. 2015;132(21):2037-99.
- 10. Klinger JR, Elliott CG, Levine DJ, et al. Therapy for Pulmonary Arterial Hypertension in Adults: Update of the CHEST Guidelines and Expert Panel Report. *Chest*. 2019:155(3): 565-586.
- 11. Galie N, McLaughlin VV, Rubin LJ, Simonneau G. An overview of the 6th World Symposium on Pulmonary Hypertension. *Eur Respir J.* 2019; 53: 1802148; DOI: 10.1183/13993003.02148-2018. Published 24 January 2019.
- 12. Simonneau G, Montani D, Celermajer DS, et al. Haemodynamic definitions and updated clinical classification of pulmonary hypertension. *Eur Respir J.* 2019;53:1801913; doi:10.1183/13993003.01913-2018.