



MEDICARE FORM

Inflectra® (infliximab-dyyb) Injectable Medication Precertification Request

Page 1 of 5

(All fields must be completed and legible for precertification review.)

For Illinois MMP: FAX: 1-855-320-8445 PHONE: 1-866-600-2139

For other lines of business: Please use other form.

Note: Inflectra is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G below.

Please indicate: Start of treatment: Start date / / Continuation of therapy: Date of last treatment / /

Precertification Requested By: Phone: Fax:

A. PATIENT INFORMATION

Form section A: Patient Information. Fields include First Name, Last Name, DOB, Address, City, State, ZIP, Home Phone, Work Phone, Cell Phone, Email, Current Weight, Height, and Allergies.

B. INSURANCE INFORMATION

Form section B: Insurance Information. Fields include Aetna Member ID #, Group #, Insured, Does patient have other coverage?, and Carrier Name.

C. PRESCRIBER INFORMATION

Form section C: Prescriber Information. Fields include First Name, Last Name, Address, City, State, ZIP, Phone, Fax, St Lic #, NPI #, DEA #, UPIN, Office Contact Name, and Phone.

D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION

Form section D: Dispensing Provider/Administration Information. Divided into Place of Administration and Dispensing Provider/Pharmacy.

E. PRODUCT INFORMATION - Please select the medication being requested

Form section E: Product Information. Fields include Request is for: Inflectra (infliximab-dyyb) Dose, Frequency, and HCPCS Code.

F. DIAGNOSIS INFORMATION - Please indicate primary ICD Code and specify any other where applicable.

Form section F: Diagnosis Information. Fields include Primary ICD Code, Secondary ICD Code, and Other ICD Code.

G. CLINICAL INFORMATION - Required clinical information must be completed in its entirety for all precertification requests.

Form section G: Clinical Information. Includes initiation request requirements, preferred products list, and clinical questions regarding patient history and medical reasons.

Continued on next page



MEDICARE FORM

Inflectra® (infliximab-dyyb) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

For Illinois MMP:

FAX: 1-855-320-8445

PHONE: 1-866-600-2139

For other lines of business:

Please use other form.

Note: Inflectra is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G.

Patient First Name Patient Last Name Patient Phone Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Will Inflectra (infliximab-dyyb) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs (e.g., adalimumab, certolizumab)?

Has the patient been tested for TB with a PPD test, interferon-release assay (IGRAs) or chest x-ray within 6 months of initiation a biologic therapy?

(check all that apply): PPD test interferon-gamma assay (IGRA) chest x-ray

Please enter results of the TB test: positive negative unknown

If positive, Does the patient have latent or active TB? latent active

If latent TB, Will TB treatment be started before initiation of therapy with Inflectra (infliximab-dyyb)?

Ankylosing Spondylitis and Other Spondyloarthropathies

Please select which of the following applies to the patient: Ankylosing spondylitis Other spondyloarthropathy

Is there evidence that the disease is active?

Is there evidence of inflammatory disease?

Has the patient had an ineffective response to two or more non-steroidal anti-inflammatory drugs (NSAIDs)?

Please provide the names and length of treatment:

NSAID #1:

NSAID #2:

Behcet's Disease

Is the disease refractory to corticosteroids or immunosuppressive drugs?

Please indicate: corticosteroids immunosuppressive drugs

Please provide the name of drug tried:

Behcet's Uveitis

Is the disease refractory?

Chronic Cutaneous/Pulmonary sarcoidosis

Has the patient remained symptomatic despite treatment with steroids?

Please provide the daily dose of steroids: Dose: mg

Has the patient remained symptomatic despite treatment with immunosuppressants?

Please select: azathioprine cyclophosphamide methotrexate Other, please explain:

Crohn's Disease

Does the patient have a diagnosis of fistulizing Crohn's disease?

Please indicate how long the patient has been diagnosed with fistulizing Crohn's disease:

Does the patient have a diagnosis of Crohn's disease?

Please indicate the severity of the patient's disease: mild moderate severe

Does the patient have a documented diagnosis of active Crohn's disease?

Please select all signs/symptoms that apply: abdominal pain arthritis bleeding diarrhea internal fistulae intestinal obstruction

megacolon perianal disease spondylitis weight loss None of the above

Have the Crohn's disease symptoms remained active despite treatment with 6-mercaptopurine, azathioprine, or corticosteroids?

Please check all medications that apply: 6-mercaptopurine azathioprine

corticosteroids- please identify: prednisone hydrocortisone methylprednisolone Other:

Hidradenitis Suppurativa

Please indicate the stage of hidradenitis suppurativa: Hurley stage I (mild disease) Hurley stage II (moderate disease)

Hurley stage III (severe disease) Unknown

Has the patient completed a trial of antibiotics?

Does the patient have a contraindication to oral antibiotics?

Was the treatment with antibiotics ineffective?

Immune Checkpoint Inhibitor- Induced Toxicities

Please indicate therapy used:

CTLA-4

Please select drug: ipilimumab Other:

PD-1

Please select drug: nivolumab pembrolizumab Other:

PD-L1

Please select drug: atezolizumab avelumab durvalumab Other:

Other

Please explain:

Do the immune checkpoint inhibitor-induced toxicities persist despite discontinuation of immune checkpoint inhibitors that target CTLA-4 or PD-1/PD-L1 (e.g., atezolizumab, ipilimumab, nivolumab, pembrolizumab)?

Continued on next page



MEDICARE FORM

Inflectra® (infliximab-dyyb) Injectable Medication Precertification Request

Page 3 of 5

(All fields must be completed and legible for precertification review.)

For Illinois MMP:

FAX: 1-855-320-8445

PHONE: 1-866-600-2139

For other lines of business:

Please use other form.

Note: Inflectra is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G.

Table with 4 columns: Patient First Name, Patient Last Name, Patient Phone, Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Please indicate the toxicity (check all that apply):

- Cardiac, Colitis, Elevated serum creatinine/acute renal failure, Inflammatory arthritis, Pneumonitis

Juvenile Idiopathic Arthritis (Juvenile Rheumatoid Arthritis)

- Please indicate the severity of the patient's disease: mild, moderate, severe
Is there evidence that the disease is active?
Does the patient have clinical documentation of polyarticular juvenile idiopathic arthritis (JRA)?
Was treatment with Enbrel (etanercept) ineffective?
Does the patient have a documented intolerance to Enbrel (etanercept)?
Does the patient have a documented contraindication to Enbrel (etanercept)?

Noninfectious Uveitis

- Was the treatment with corticosteroids ineffective?
Was the treatment with immunosuppressive drugs (e.g., azathioprine, cyclosporine, or methotrexate) ineffective?
Does the patient have a documented intolerance to corticosteroids or immunosuppressive drugs?
Does the patient have a documented contraindication to corticosteroids or immunosuppressive drugs?

Plaque Psoriasis

- Please indicate the severity of the patient's disease: mild, moderate, severe
Is there evidence that the disease is active?
Is there clinical documentation of chronic disease?
Is the patient a candidate for systemic therapy or phototherapy?
Please provide the patient's Psoriasis Area and Severity Index (PASI) score:
Please indicate the percentage of body surface area affected by plaque psoriasis:
Does the plaque psoriasis involve sensitive areas?
Was the trial with systemic conventional DMARD(s) ineffective?
Was the trial with phototherapy ineffective?
Please check all that apply: Psoralens (methoxsalen, trioxsalen) with UVA light (PUVA), UVB with coal tar or dithranol, UVB (standard or narrow band), Home UVB, None of the above
Please indicate the length of trial: Less than 1 month, 1 month, 2 months, 3 months or greater

Continued on next page



MEDICARE FORM

Inflectra® (infliximab-dyyb) Injectable Medication Precertification Request

Page 4 of 5

(All fields must be completed and legible for precertification review.)

For Illinois MMP:

FAX: 1-855-320-8445

PHONE: 1-866-600-2139

For other lines of business:

Please use other form.

Note: Inflectra is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

Psoriatic Arthritis

Yes  No Is there evidence that the disease is active?

Yes  No Does the patient have **axial** psoriatic arthritis?

Yes  No Was the treatment with 2 or more non-steroidal anti-inflammatory drugs (NSAIDs) ineffective?

Please provide the names and length of treatment:  
NSAID #1: \_\_\_\_\_  
NSAID #2: \_\_\_\_\_

Yes  No Does the patient have **non-axial** psoriatic arthritis?

Yes  No Does the patient have severe disease at presentation, defined as severe disability at onset with erosive disease involving multiple joints?

Yes  No Was the treatment with methotrexate ineffective?

Yes  No Was treatment with methotrexate not tolerated or contraindicated?

Please select:  not tolerated  contraindicated

Yes  No Was treatment with another conventional DMARD ineffective?

Please select:  cyclophosphamide  cyclosporine  
 hydroxychloroquine  leflunomide  
 sulfasalazine  Other, please explain: \_\_\_\_\_

Pyoderma Gangrenosum

Yes  No Does the patient have a documented diagnosis of refractory pyoderma gangrenosum?

Reactive Arthritis (Reiter's syndrome) or Inflammatory Bowel Disease Arthritis (Enteropathic Arthritis)

Please select which applies to the patient:  reactive arthritis (Reiter's syndrome)  inflammatory bowel disease arthritis (enteropathic arthritis)

Yes  No Was the treatment with methotrexate ineffective?

Yes  No Was the treatment with methotrexate not tolerated?

Yes  No Does the patient have a contraindication to methotrexate?

Yes  No Was the treatment with sulfasalazine ineffective?

Yes  No Was the treatment with sulfasalazine not tolerated?

Yes  No Does the patient have a contraindication to sulfasalazine?

Yes  No Was the treatment with non-steroidal anti-inflammatory drugs (NSAIDs) ineffective?

Yes  No Was the treatment with non-steroidal anti-inflammatory drugs (NSAIDs) not tolerated?

Yes  No Does the patient have a contraindication to non-steroidal anti-inflammatory drugs (NSAIDs)?

Please provide the name: \_\_\_\_\_

Retinal Vasculitis

Yes  No Was treatment with a conventional DMARD ineffective?

Yes  No Was treatment with a conventional DMARD not tolerated or contraindicated?  not tolerated  contraindicated

Rheumatoid Arthritis

Please indicate the severity of the patient's rheumatoid arthritis:  mild  moderate  severe

Yes  No Is there evidence that the disease is active?

Yes  No Will the patient be using Inflectra (infliximab-dyyb) in combination with methotrexate?

Yes  No Was treatment with methotrexate ineffective?

Yes  No Was treatment with methotrexate not tolerated or contraindicated?  not tolerated  contraindicated

Yes  No Was treatment with another conventional DMARD (other than methotrexate) ineffective?

Please select:  azathioprine  hydroxychloroquine  leflunomide  sulfasalazine

Continued on next page



MEDICARE FORM

Inflectra® (infliximab-dyyb) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

For Illinois MMP:

FAX: 1-855-320-8445

PHONE: 1-866-600-2139

For other lines of business:

Please use other form.

Note: Inflectra is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G.

Patient First Name Patient Last Name Patient Phone Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Sarcoidosis

Is the disease refractory to corticosteroids?

Ulcerative Colitis

Is the patient hospitalized with active fulminant ulcerative colitis? Please indicate the severity of the patient's ulcerative colitis: mild moderate severe
Is there evidence that the disease is active?
Is the patient refractory to immunosuppression with corticosteroids (e.g., hydrocortisone, methylprednisolone, prednisone)?
Does the patient require continuous immunosuppression with corticosteroids (e.g., hydrocortisone, methylprednisolone, prednisone)?
Name and dose: Name: Dose:
Please indicate the route: Oral IV
Name and dose: Name: Dose:
Please indicate the route: Oral IV
Was treatment with immunosuppressant agent (e.g., azathioprine, 6-mercaptopurine) ineffective?
Was treatment with immunosuppressant agent (e.g., azathioprine, 6-mercaptopurine) not tolerated or contraindicated?
Please select: not tolerated contraindicated
Please select: 6-mercaptopurine azathioprine cyclosporine
Was treatment with 5-aminosalicylic acid agents (e.g., balsalazide, mesalamine, sulfasalazine) ineffective?
Was treatment with 5-aminosalicylic acid agents (e.g., balsalazide, mesalamine, sulfasalazine) not tolerated or contraindicated?
Please select: not tolerated contraindicated
Please select: Colazal (balsalazide) Ariso, Asacal, Delzicol, Lialda, Pentasa, Rowasa, Canasa (mesalamine) Azulfidine (sulfasalazine) Other, please explain:
Please select the symptoms the patient exhibit: more than 10 stools per day continuous bleeding abdominal pain distension acute, severe toxic symptoms, including fever and anorexia

For Continuation of Therapy (clinical documentation required for all requests):

Please indicate the length of time on Inflectra (infliximab-dyyb):
Is this continuation request a result of the patient receiving samples of Inflectra (infliximab-dyyb)?
Will Inflectra (infliximab-dyyb) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs (e.g., adalimumab, certolizumab)?
Is there clinical documentation supporting disease stability?
Is there clinical documentation supporting disease improvement?
Does the patient have any risk factors for TB?
Has the patient had a TB test within the past year?
(check all that apply): PPD test interferon-gamma assay (IGRA) chest x-ray
Please enter the results of the TB test: positive negative unknown
Has the patient received Inflectra (infliximab-dyyb) within the past 6 months?
Does the patient have a documented severe and/or potentially life-threatening adverse event that occurred during or following the previous infusion?
Could the adverse reaction be managed through pre-medication in the home or office setting?

For Crohn's disease, Juvenile idiopathic arthritis, Plaque psoriasis, Rheumatoid arthritis, Ulcerative colitis only:

Please indicate the severity of the disease at baseline (pretreatment with Inflectra (infliximab-dyyb)): mild moderate severe

H. ACKNOWLEDGEMENT

Request Completed By (Signature Required): Date: / /

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.