Pharmacy Prior Authorization

AETNA BETTER HEALTH ILLINOIS FAMILY HEALTH PLAN (MEDICAID)

Humira (Medicaid)

This fax machine is located in a secure location as required by HIPAA regulations.

Complete/review information, sign and date. Fax signed forms to Aetna Better Health Illinois at 1-844-242-0908.

When conditions are met, we will authorize the coverage of Humira (Medicaid).

Please note that all authorization requests will be reviewed as the AB rated generic (when available) unless states otherwise.

Drug	Name (please circle)			
Humir	a (adalimumab)			
Other	, please specify			
Quantity Route of Administration		Frequency Sti	rength	
Patie	ent Information			
	nt Name:			
Patier	nt ID·			
Patier	nt Group No.:			
Patier	nt DOB:			
Patier	nt Phone:			
Pres	cribing Physician			
Physi	cian Name:			
Specialty: NPI Number:		NPI Number:		
Physician Fax:		Physician Phone:		
Physician Address:		City, State, Zip:		
Diag	nosis:	ICD Code:		
Please	e circle the appropriate answe	er for each question.		
1.	Has this plan authorized previous authorization is	Humira in the past for this patient (i.e., on file under this plan)?	Υ	N
	[If no, skip to question 7.]]		
2.	Does the patient have a disease?	diagnosis of ulcerative colitis or Crohn's	Υ	N
	[If no, skip to question 4.]]		
3.	Is the patient in remission	n without requiring more than 5mg of	Υ	N

	[No further questions.]
4.	Does the patient have a diagnosis of hidradenitis (acne inversa)?
	[If no, then skip to question 6.]
5.	Has the patient had reduction in total abscess (25%) and inflammatory nodules and no increase in abscesses or draining fistulas?
	[No further questions.]
6.	Has the patient had at least a 20% improvement in symptoms?
	[No further questions.]
7.	Does the patient have a diagnosis of rheumatoid arthritis (RA) with moderate to high disease activity?
	[If no, skip to question 10.]
8.	Has the patient had failure to an adequate trial (3 months) of two disease modifying anti-rheumatic drugs (DMARDs) regimens (one must be methotrexate)?
	If yes, list medications tried:
	Note: Monotherapy regimen: methotrexate (MTX), hydroxychloroquine (HCQ), leflunomide (LEF), sulfasalazine (SSZ).
	Combination regimen: MTX+SSZ+HCQ; MTX+HCQ, MTX+LEF, MTX+SSZ, SSZ+HCQ
	[If yes, skip to question 67.]
9.	Does the patient have a contraindication to methotrexate?
	Note: Contraindications such as Pregnancy, alcoholism, Chronic liver disease, Leukopenia, thrombocytopenia, or anemia.
	If yes, please document contraindication:
	[If no, then no further questions]
	[If yes, skip to question 67.]
10	Does the patient have a diagnosis of juvenile idiopathic arthritis (JIA)?

[lf r	no, skip to question 22.]		
11. Do	es the patient have the systemic subtype of JIA?	Υ	١
[If r	no, skip to question 15.]		
12. Do	es the patient currently have any ACTIVE systemic features?	Υ	١
	te: Systemic features such as fever, evanescent rash, aphadenopathy, hepatomegaly, splenomegaly, or serositis.		
If y	es, please list:		
[If y	yes, then no further questions.]		
	es the patient continue to have synovitis in at least 1 joint spite 3 months of treatment with methotrexate or leflunomide?	Υ	١
[If y	yes, skip to question 21.]		
	es the patient have contraindications to methotrexate and unomide?	Υ	١
	te: Contraindications such as Pregnancy, alcoholism, Chronic er disease, Leukopenia, thrombocytopenia, or anemia.		
If y	es, please document contraindication:		
[If r	no, then no further questions]		
[If y	es, skip to question 21.]		
	es the patient have severe or moderate to severe polyarticular enile idiopathic arthritis (pJIA)?	Y	1
[If y	es, skip to question 19.]		
	es the patient have extended oligoarticular juvenile idiopathic nritis (JIA)?	Y	1
[If r	no, then no further questions.]		
	s the patient tried and had inadequate response with at least ifferent NSAIDs?	Υ	1
If y	es, please list medications tried:		
[If y	es, skip to question 19.]		
18. Do	es the patient have intolerance or contraindications to	Υ	1

NSAIDs?

Note: Contraindications such as true allergic reaction to NSAIDs, history of worsening asthma symptoms after taking aspirin or NSAIDs, current GI bleed, severe renal dysfunction. If yes, please document contraindication:_____ [If no, then no further questions.] 19. Has the patient had failure to an adequate trial (3 months) of Υ Ν methotrexate? [If yes, skip to question 21.] 20. Does the patient have a contraindication to methotrexate? Ν Note: Contraindications such as Pregnancy, alcoholism, Chronic liver disease, Leukopenia, thrombocytopenia, or anemia. If yes, please document contraindication:_____ [If no, then no further questions] 21. Is the patient at least 2 years of age? Ν [If no, no further questions.] [If yes, skip to question 68.] 22. Does the patient have a diagnosis of ankylosing spondylitis Ν Υ (AS)? [If no, skip to question 26.] 23. Does the patient have unacceptable disease activity despite an Ν Υ adequate trial (3 months) with at least 2 different NSAIDs? If yes, please list medications tried: [If no, skip to question 25.] 24. Is the patient currently on or will continue taking an NSAID with Υ Ν the requested medication? [If yes, skip to question 67.]

Reference Number: C4416-A / Effective Date: 05/08/2017

25. Does the patient have contraindications to NSAIDs?

Note: Contraindications such as true allergic reaction to NSAIDs,

Υ

Ν

	NSAIDs, current GI bleed, severe renal dysfunction.		
	If yes, please document contraindication:		
	[If yes, then skip to question 67]		
	[If no, then no further questions.]		
26	Does the patient have a diagnosis of plaque psoriasis?	Υ	N
	[If no, skip to question 33.]		
27	Does the patient have more than 10% of body surface area involvement with plaque psoriasis or has a PASI score of more than 10?	Υ	N
	[If no, then no further question.]		
28	Does the plaque psoriasis have a significant impact on physical, psychological, or social wellbeing?	Y	N
	[If no, then no further questions.]		
29	. Has the patient failed standard topical therapies?	Υ	N
	If yes, please list medications tried:		
	[If no, then no further questions.]		
30	Has the patient tried and had an insufficient response to phototherapy (UVB or PUVA) or is unable to receive phototherapy?	Υ	N
	If yes, please provide rationale:		
	[If no, then no further questions.]		
31	Has the patient had failure to an adequate trial (3 months) of methotrexate or cyclosporine?	Υ	N
	[If yes, then skip to question 67.]		
32	Does the patient have a contraindication to both methotrexate and cyclosporine?	Υ	N
	Note: Contraindications such as Pregnancy, alcoholism, Chronic liver disease, Leukopenia, thrombocytopenia, or anemia.		
	If yes, please document contraindications:		

	[If yes, then skip to question 67.]			
	[If no, then no further questions.]			
33	. Does the patient have a diagnosis of psoriatic arthritis (PsA)?	•	Y	Ν
	[If no, skip to question 42.]			
34	. Does the patient have primarily axial disease (involving the spine) or active enthesitis/dactylitis?	`	Y	N
	[If no, skip to question 36.]			
35	. Has the patient tried an adequate trial (3 months) with at least 2 different NSAIDs and had inadequate response?	`	Y	N
	If, yes, please list medications tried:			
	[If yes, skip to question 40.]			
	[If no, skip to question 41.]			
36	. Does the patient have active psoriatic arthritis?	•	Y	Ν
	[If no, then no further questions.]			
37	. Has the patient had failure to an adequate trial (3 months) of methotrexate?	`	Y	N
	[If yes, skip to question 40.]			
38	. Does the patient have a contraindication to methotrexate?	•	Y	Ν
	Note: Contraindications such as Pregnancy, alcoholism, Chronic liver disease, Leukopenia, thrombocytopenia, or anemia.			
	If yes, please document contraindication:			
	[If no, then no further questions.]			
39	. Has the patient had failure to an adequate trial (3 months) of sulfasalazine or leflunomide?	`	Y	N
	[If no, then no further questions.]			
40	. Is the patient currently on or will continue taking an NSAID with requested medication?	•	Y	N
	[If yes, then skip to question 67.]			

41	.Does the patient have contraindications to NSAIDs?	١	/	N
	Note: Contraindications such as true allergic reaction to NSAIDs, history of worsening asthma symptoms after taking aspirin or NSAIDs, current GI bleed, severe renal dysfunction.			
	If yes, please document contraindication:			
	[If yes, then skip to question 67.]			
	[If no, then no further questions.]			
42	. Does the patient have a diagnosis of Crohn's Disease?	١	/	N
	[If no, skip to question 48.]			
43	.Has the patient had inadequate response or intolerable side effects to IV corticosteroids after 7-10 days or oral prednisone (dosed at 40mg or more per day) for 30 days)?	١	/	N
	[If yes, skip to question 47.]			
44	Does the patient have steroid-dependent Crohn's disease as evidenced by one of the following: A) Patient had a relapse within three months of stopping corticosteroids; OR B) Patient is unable to taper steroids to an acceptable dose after 3 months without having symptom recurrence?	١	(N
	[If no, then no further questions.]			
45	.Has the patient had failure to an adequate trial (3 months) of azathioprine (AZA), mercaptopurine (6-mp) or injectable methotrexate?	١	/	N
	[If yes, skip to question 47.]			
46	Does the patient have a contraindication to all of the following: azathioprine (AZA), injectable methotrexate and mercaptopurine (6-mp)?	١	/	N
	If yes, please document contraindication(s):			
	[If no, then no further questions]			
47	. Is the patient at least 6 years of age?	١	/	N
	[If no, then no further questions.]			

[If yes, skip to question 68.]		
48. Does the patient have a diagnosis of ulcerative colitis (UC)?	Υ	N
[If no, skip to question 57.]		
49. Has the patient had inadequate response or intolerable side effects to IV corticosteroids after 7-10 days or oral prednisone (dosed at 40mg or more per day for 30 days)?	Υ	N
[If no, skip to question 54.]		
50. Has the patient had a previous treatment failure with azathioprine (AZA) AND mercaptopurine (6-MP) OR has a contraindication to azathioprine and mercaptopurine?	Y	N
If yes, please list medication tried and/or contraindications:		
[If yes, skip to question 67.]		
51. Has the patient had surgery for ulcerative colitis (UC)?	Υ	N
[If yes, skip to question 67.]		
52. Has the patient had an inadequate response or intolerable side effects to cyclosporine?	Υ	N
[If yes, skip to question 67.]		
53. Does the patient have a contraindication to cyclosporine?	Υ	N
[If no, then no further questions.]		
[If yes, skip to question 67.]		
54. Does the patient have steroid-dependent ulcerative colitis as evidenced by one of the following: A) Patient had a relapse within three months of stopping corticosteroids; OR B) Patient is unable to taper steroids to an acceptable dose after 3 months without having symptom recurrence?	Y	N
[If no, then no further questions.]		
55. Has the patient had failure to an adequate trial (3 months) of azathioprine (AZA) or mercaptopurine (6-MP)?	Υ	N
[If yes, skip to question 67.]		

56. Does the patient have a contraindication to azathioprine and mercaptopurine?	Υ	N
[If yes, skip to question 67.]		
[If no, then no further questions]		
57. Does the patient have a diagnosis of hidradenitis suppurativa (acne inversa, HS)?	Y	N
[If no, then skip to question 63.]		
58. Does the patient have at least 3 abscesses or inflammatory nodules?	Y	N
[If no, then no further questions.]		
59. Does the patient have moderate to severe disease (Hurley stage II-III)?	Y	N
[If no, then no further questions.]		
60. Has the patient had an inadequate response or intolerance to an oral antibiotic (e.g., tetracycline, doxycycline or minocycline)?	Y	N
[If yes, then skip to question 67.]		
61. Does the patient have contraindication to oral tetracycline?	Υ	Ν
[If no, then no further questions]		
62. Has the patient had an inadequate response or intolerance to topical antibiotics?	Υ	N
[If yes, then skip to question 67.]		
[If no, then no further questions]		
63. Does the patient have a diagnosis of Uveitis?	Υ	Ν
[If no, then no further questions]		
64. Has the patient been diagnosed with non-infectious intermediate, posterior, or panuveitis?	Υ	N
[If no, then no further questions]		
65. Is the patient currently taking corticosteroid or has a contraindication to corticosteroids?	Υ	N

[If no, then no further questions] 66. Has the patient had an inadequate response, intolerance or Υ Ν contraindication to two immunosuppressive agents (e.g., azathioprine, methotrexate, mycophenolate, cyclosporine, or tacrolimus)? [If no, then no further questions] Υ Ν 67. Is the patient at least 18 years of age? [If no, then no further questions.] 68. Is Humira being prescribed by, or in consultation with a Υ Ν specialist, based on indication (rheumatologist, dermatologist, gastroenterologist)? [If no, then no further questions.] 69. Has the patient been screened for latent tuberculosis (TB) and Υ Ν hepatitis B? [If no, then no further questions.] 70. Does the patient have an active infection (including Hepatitis B Υ Ν and/or tuberculosis (TB)? [If no, skip to question 72.] 71. Is the patient currently receiving or has completed treatment for Ν latent TB infection or Hepatitis B? [If no, then no further questions.] 72. Will Humira be given in combination with another biologic Υ Ν DMARD?

Reference Number: C4416-A / Effective Date: 05/08/2017

[If yes, then no further questions.]

Prescriber (Or Authorized) Signature Date	<u> </u>		
I affirm that the information given on this form is true and accurate as of this date.			
Comments:			
73. Does the patient have CHF (NYHA class III or IV)?	Y	N	