

MEDICARE FORM

Actemra® (tocilizumab) Injectable Medication Precertification Request

Page 1 of 3

(All fields must be completed and legible for precertification review.)

For Ohio MMP: FAX: 1-855-734-9389

FAX: 1-855-734-9389 **PHONE:** 1-855-364-0974

For other lines of business: Please use other form.

Note: Actemra is non-preferred. Preferred products may vary based on indication. See section G below.

Please indicate:					// t treatment/	/			on man	auon.	. Jee section	i G below.
Precertification F						Phone:			Fa	ax:		
A. PATIENT INFO	ORMATION											
First Name:					Last Name:				DOB:			
Address:						City:			State:		ZIP:	
Home Phone:			Work Pho	ne:		Cell Phone:			Email:			
Current Weight:	lbs	or	kgs F	leight	:inches or	cms	Allergie	es:	II.			
B. INSURANCE I	NFORMATI	ON					_					
Aetna Member ID #: Does patient have other						er coverage?	☐ Yes	∏No				
Group #:					If yes, provide ID#: Carrier Name:							
Insured:					Insured:							
C. PRESCRIBER	INFORMAT	ΓΙΟΝ										
First Name:					Last Name:		(Che	ck One):		□ D.	O. N.P.	. 🗌 P.A.
Address:						City:			State:		ZIP:	
Phone:		Fax:			St Lic #:	NPI#:		DEA #:		U	JPIN:	
Provider Email:				Offic	ce Contact Name:			Phone:				
D. DISPENSING	PROVIDER/	ADMINIST	RATION I	NFOR	RMATION	_						
Place of Administration: Self-administered Physician's Office Outpatient Infusion Center Phone: Center Name: Home Infusion Center Phone: Agency Name: Administration code(s) (CPT): Address: City: State: Phone: Fax: TIN: NPI: Please explain if there are any medical reason(s) why the inject the requested drug:			Z	P:e patient cannot self-	Dispensing Provider/Pharmacy: □ Physician's Office □ Retail Pharmacy □ Specialty Pharmacy □ Mail Order □ Other: □ Mail Order Name: □ Address: City: □ State: □ ZIP: Phone: □ Fax: □ PIN: NPI: □ PIN: □ NPI: E. PRODUCT INFORMATION Request is for: □ Actemra (tocilizumab) IV □ Actemra (tocilizumab) SC HCPCS Code: □ Dose: Frequency: □ Dose:							
		N - Please	indicate p	rimar	y ICD code and specify		applicabl	e (*).				
Primary ICD Cod	<u>.</u>					r ICD Code:						
G. CLINICAL INFORMATION - Required clinical information must be completed in its entirety for all precertification requests. For Initiation requests (clinical documentation required): Yes No Will Actemra (tocilizumab) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs (e.g., adalimumab, infliximab)? Has the patient been tested for TB with a PPD test, interferon-release assay (IGRA) or chest x-ray within 6 months of initiating a biologic therapy? (check all that apply): PPD test interferon-gamma assay (IGRA) chest x-ray Please enter results of the TB test results: Positive Negative Unknown If positive, Does the patient have latent or active TB? Latent Active If latent TB, Yes No Will TB treatment be started before initiation of therapy with Actemra (tocilizumab)?												
Xeljanz/Xeljanz X	KR are preferance. KR are preferance. KR are patien as the patien. KR are patien. KR are preferance. KR are preferance.	erred for Mant had prior that had a trial official offici	APD plan therapy wit and failure yb) ☐ Re and failure	s. Pre th Acte e, intol micad e, intol	and Simponi Aria are ferred products may emra (tocilizumab) within erance, or contraindicati e (infliximab)	vary based on ir the last 365 days? on to any of the fol ni Aria (golimumat on to any of the fol	ndication ? llowing? (s b) llowing? (s	select all th	nat apply) nat apply)			



MEDICARE FORM

Actemra® (tocilizumab) Injectable Medication Precertification Request

Page 2 of 3

(All fields must be completed and legible for precertification review.)

For Ohio MMP:

FAX: 1-855-734-9389 **PHONE:** 1-855-364-0974

For other lines of business: Please use other form.

Note: Actemra is non-preferred. Preferred products may vary based on indication. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB					
C. CLINICAL INFORMATION (confirmed)			- II					
G. CLINICAL INFORMATION (continued)								
Please explain if there are any other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's diagnosis (select all that apply)								
☐ Inflectra (infliximab-dyyb) ☐ Remicade (infliximab) ☐ Simponi Aria (golimumab)								
		surpenity and (geninalities)						
Please explain if there are any other medical	reason(s) that the patient cannot	use any of the following preferred pro	oducts when indicated for the patient's					
diagnosis (select all that apply)								
☐ Enbrel (etanercept) ☐	-lumira (adalimumab) 🔲 Kevza	ra (sarilumab) 🔲 Rinvoq (upadacitin	ib) 🔲 Xeljanz/Xeljanz XR (tofacitinib)					
Continuo de discoso (CD)			<u> </u>					
Castleman's disease (CD)	ation 2							
Yes No Is this request for IV formul								
☐ Yes ☐ No Will Actemra (tocilizumab) be used as a monotherapy? ☐ Yes ☐ No Does the patient have unicentric CD?								
	nt has relapsed or refractory CD:	☐ Relapsed ☐ Refractory						
	mra (tocilizumab) be used a seco							
	ient human immunodeficiency vir							
Yes No Is the patient human herpesvirus-8 (HHV-8) negative?								
Yes No Does the patient have docu								
Yes No Will Actemra (tocilizumab) be used as subsequent therapy?								
☐ Yes ☐ No Has the disease progresse	d following treatment of relapsed	refractory or progressive disease?						
Cytokine release syndrome								
Yes No Is this request for IV formul		entines recentor (CAD) T cell induced	acuera or life threatening outsking					
Yes No Does the patient have a do release syndrome?	curriented diagnosis of chillienc a	antigen receptor (CAR) T cell-induced	severe or life tilleatering cytokine					
Giant cell arteritis								
Yes No Is this request for subcutaneous formulation?								
☐ Yes ☐ No Has the patient had a temporal artery biopsy or cross-sectional imaging?								
Please select which one: temporal artery biopsy cross-sectional imaging								
Yes No Does the patient have acute-phase reactant elevation (i.e., high erythrocyte sedimentation rate [ESR])?								
☐ Yes ☐ No Does the patient have high	serum C-reactive protein [CRP]?	•						
Juvenile idiopathic arthritis (juvenile rheumatoid arthritis)								
Is this request for IV formulation or subcutaneous formulation? IV formulation subcutaneous formulation								
What is the severity of the patient's disease? ☐ Mild ☐ Moderate ☐ Severe ☐ Yes ☐ No Is there evidence that the disease is active?								
	isease is active?							
Rheumatoid Arthritis Is this request for IV formulation or subcutance	eous formulation?	on						
Please indicate the severity of the patient's ri								
Yes No Is there evidence that the c		loderate						
Yes No Was treatment with methot								
└────────────────────────────────────	nent with methotrexate not tolerate	ted or contraindicated?						
	select: not tolerated contra							
		her conventional DMARD (other than athioprine ☐ hydroxychloroquine ☐						
Systemic juvenile idiopathic arthritis								
Is this request for IV formulation or subcutane	ous formulation? IV formulati	on 🔲 subcutaneous formulation						
Yes No Is there evidence that the c								
	mptoms include high fevers and բ							
	eroidal anti-inflammatory (NSAID)	monotherapy ineffective?						
Provide the name of the NS	SAID:							

Continued on next page



MEDICARE FORM

Actemra® (tocilizumab) Injectable Medication Precertification Request

Page 3 of 3

(All fields must be completed and legible for precertification review.)

For Ohio MMP:

FAX: 1-855-734-9389 **PHONE:** 1-855-364-0974

For other lines of business:

Please use other form.

Note: Actemra is non-preferred. Preferred products may vary based on indication. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB					
G. CLINICAL INFORMATION (continued)	- Required clinical information must be con	npleted in its <u>entirety</u> for all pred	ertification requests.					
For ALL continuation of therapy requests (clinical documentation required for all requests):								
☐ Yes ☐ No Is this continuation request a result of the patient receiving samples of Actemra (tocilizumab)?								
Yes No Will Actemra (tocilizumab) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs (e.g., adalimumab, infliximab)?								
Yes No Is there clinical documentation supporting disease stability?								
Yes No Is there clinical documentation supporting disease improvement?								
Yes No Does the patient have any risk factors for TB?								
─────────────────────────────────────								
Please enter the results of the TB test: Results: Positive Negative Unknown								
For IV formulation requests only (continuation of therapy requests only):								
Yes ☐ No Has the patient received Actemra (tocilizumab) within the past 6 months?								
Yes No Does the patient have a documented severe and/or potentially life-threatening adverse event that occurred during or following the previous infusion?								
Yes No Could the adverse reaction be managed through pre-medication in the home or office setting?								
For juvenile idiopathic arthritis (juvenile rheumatoid arthritis), rheumatoid arthritis or systemic juvenile idiopathic arthritis only:								
Please indicate the severity of the patient's arthritis at baseline (pretreatment with Actemra (tocilizumab)): Mild Moderate Severe								
H. ACKNOWLEDGEMENT								
Request Completed By (Signature Requ	ired):		Date:/					
Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.								

The plan may request additional information or clarification, if needed, to evaluate requests.