

# Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 1 of 5

(All fields must be completed and legible for precertification review.)

FAX: 1-855-734-9389 PHONE: 1-855-364-0974 For other lines of business: Please use other form.

For Ohio MMP:

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type.

Please indicate:	Start of treatment:					See section G	below.
	☐ Continuation of th	. •	treatment			_	
	Requested By:			Phone	i	Fax:	
A. PATIENT INFO	DRMATION						
First Name:				_ast Name:		Ta	T
Address:				City:		State:	ZIP:
Home Phone:		Work Phor	ne:		Cell Phone:		
DOB:	Allergies:				E-mail:		
Current Weight: _	lbs or	kgs	Height: _	inches o	rcms	<b>3</b>	
B. INSURANCE I							
	D #:		•	J	☐ Yes ☐ No		
		lf yes			Carrier Name:		
	s 🗌 No If yes, provide	ID #:		Medicaid: Yes	☐ No If yes, p	rovide ID #:	
C. PRESCRIBER	INFORMATION						
First Name:		Last	Name:		(Check One	1	.O.
Address:				City:		State:	ZIP:
Phone:	Fax:	St Lic	c #:	NPI #:	DEA #:		IN:
Provider E-mail:		Office	e Contact Name	): -		Phone:	
Specialty (Check	k one): Dermatologis	t 🗌 Gastroenter	ologist 🗌 Rh	eumatologist 🗌 🤇	Other:		
D. DISPENSING	PROVIDER/ADMINISTRAT	ION INFORMATION					
Center N ☐ Home Infusion	red Physician' usion Center Phone lame:	s Office e:		☐ Physician' ☐ Specialty I ☐ Name: ☐ Address:	Pharmacy	☐ Retail Pharma	acy
	code(s) (CPT):						ZIP:
Address:	Sta	te· 7ID·					
				-			
	PIN			NFI			
NPI:							
E. PRODUCT INF	FORMATION						
-	Avsola (infliximab-axxq)			Frequer			_
F. DIAGNOSIS IN	NFORMATION – Please indi	cate primary ICD Co	de and specify a	ny other where appli	cable.		
Primary ICD Cod	e:	Secondary I	CD Code:		Other ICD (	Code:	
G. CLINICAL INF	ORMATION – Required clir	nical information mus	t be completed i	n its <u>entirety</u> for all pr	ecertification reque	ests.	
	(clinical documentation re						
Note: Avsola is non-preferred. The preferred products for MA plans are Entyvio, Inflectra, Remicade, and Simponi Aria. For MAPD plans, Inflectra, Entyvio, and Remicade, are preferred for ulcerative colitis and Enbrel, Humira, Kevzara, Otezla, Rinvoq, Skyrizi, and Xeljanz/Xeljanz XR are preferred for other indications. Preferred products vary based on indication.  Yes No Has the patient had prior therapy with Avsola (infliximab-axxq) within the last 365 days?  Has the patient had a trial and failure, intolerance, or contraindication to any of the following? (select all that apply)							
□ Entyvio (vedolizumab) □ Inflectra (infliximab-dyyb) □ Remicade (infliximab) □ Simponi Aria (golimumab) □ Yes □ No □ Has the patient had a trial and failure, intolerance, or contraindication to any of the following? (select all that apply) □ Enbrel (etanercept) □ Humira (adalimumab) □ Kevzara (sarilumab) □ Otezla (apremilast) □ Rinvoq (upadacitinib) □ Skyrizi (risankizumab-rzaa) □ Xeljanz/Xeljanz XR (tofacitinib) Please explain if there are any other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's diagnosis (select all the apply)							
Entyvio (vedolizumab)							



# Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

For Ohio MMP:

**FAX:** 1-855-734-9389 **PHONE:** 1-855-364-0974

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
C. CLINICAL INFORMATION (continue	Dequired clinical information	must be completed in its entirety for all	proportification requests
, , ,	ical reason(s) that the patient can	not use any of the following preferred pevzara (sarilumab)   Otezla (apremil	roducts when indicated for the patient's
(e.g., Olumiant, Xeljanz)?  ☐ Yes ☐ No Has the patient received ☐ Yes ☐ No Has the ☐ a biologi	? a biologic or targeted synthetic DI patient been tested for TB with a I c therapy?	MARD (e.g., Rinvoq, Xeljanz) in the pa	RA) or chest x-ray within 6 months of initiating
Please  If positi  If latent   → □ Yes □ No Does the	enter the results of the TB test: ive, Does the patient have latent of TB,YesNo Has treatme  > Please select patient have risk factors for TB?	positive	unknown been initiated or completed? t completed
I — — — — — — — — — — — — — — — — — — —	<ul> <li>Check all that apply): □</li> <li>Please enter the results of the positive, Does the pation</li> </ul>	PPD test ☐ interferon-gamma assay of the TB test: ☐ positive ☐ negative ient have latent or active TB? ☐ latent	r (IGRA)  □ chest x-ray □ unknown □ active □ unknown sis (TB) infection been initiated or completed?
For Initiation Requests:			·
has an	es to the patient:  Active ankylo y received a biologic indicated for e patient experienced an inadequal intolerance or contraindication to for ankylosing spondylitis (AS) or	active ankylosing spondylitis? ate response with at least TWO nonste at least two NSAIDs?	pondyloarthritis roidal anti-inflammatory drugs (NSAIDs), or ineffective, not tolerated, or are contraindicated:
Yes ☐ No Has the patient received  Yes ☐ No Has t  syste		oonse to at least one nonbiologic medic	cation for Behçet's disease (e.g., colchicine,
Crohn's disease  Yes No Has the patient been diag			
	ne patient have fistulizing Crohn's		
☐ ☐ Yes ☐ No Has the	e patient previously received a bio	logic indicated for moderately to severe	ely active Crohn's disease?
Ye	Yes No Doe ther cipr met rifax	apy option (e.g.,azathioprine [Azasan, ofloxacin [Cipro], mercaptopurine [Puri hotrexate, metronidazole [Flagyl], pred kimin [Xifaxan], tacrolimus)?	r intolerance to at least one conventional Imuran], budesonide [Entocort EC], nethol], methylprednisolone [Solu-Medrol], nisone, sulfasalazine [Azulfidine, Sulfazine],
	(Cipro) 🗌 Prednisor	ulfasalazine (Azulfidine, Sulfazine) □ ne □ Budesonide (Entocort EC) □ (Purinethol) □ Methotrexate □ Met	
	☐ Rifaximin (Xifaxa		
Please indicate the preferred alternatives ☐ Humira ☐ Entyvio ☐ Remicade [	for Crohn's disease that have been	en ineffective, not tolerated, or are cont	raindicated:
Granulomatosis with polyangiitis (Weg		•	
Yes No Has the patient experience azathioprine, methotrexa	ced an inadequate response with te, or mycophenolate mofetil)?		therapy (e.g., cyclophosphamide,
azathi	oprine, methotrexate, or mycophe Yes		and immunosuppressive therapy



## Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 3 of 5

(All fields must be completed and legible for precertification review.)

For Ohio MMP:

**FAX:** 1-855-734-9389 **PHONE:** 1-855-364-0974

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB	
G. CLINICAL INFORMATION (continued)	Required clinical information must be	completed in its entirety for all pre	ecertification requests	
	required clinical information must be	completed in its <u>charety</u> for all pre	secrimoation requests.	
Hidradenitis suppurativa  Yes No Has the patient been diagnosed with severe, refractory hidradenitis suppurativa?  Yes No Has the patient previously received a biologic medication indicated for the treatment of severe, refractory hidradenitis suppurativa?  Yes No Has the patient experienced an inadequate response after at least 90 days of treatment with oral antibiotics?  Yes No Has the patient experienced an intolerable adverse effect to oral antibiotics?  Yes No Does the patient have a contraindication to oral antibiotics?				
☐ Yes ☐ No Has the patient had an inef	ffective response, contraindication or into	plerance to Humira?		
Juvenile idiopathic arthritis				
□ Yes □ No Has the patient previously received a biologic indicated for juvenile idiopathic arthritis?  □ Yes □ No Has the patient experienced an inadequate response to ANY of the following?  □ Please select: □ At least 1-month trial of NSAIDs □ At least 2 weeks of treatment with corticosteroids (e.g., prednisone, methylprednisolone) □ At least 3 months of treatment with methotrexate □ At least 3 months of treatment with leflunomide □ Yes □ No Has the patient had an ineffective response, contraindication or intolerance to Humira?				
☐ Yes ☐ No Has the patient had an inet	ffective response, contraindication or into	olerance to Enbrel?		
Immune checkpoint inhibitor toxicity				
Yes No Has the patient experience	ed an inadequate response to corticostero patient have cardiac toxicity?	oids?		
Plaque psoriasis	•			
Yes No Has the patient been diagnosed with chronic, severe plaque psoriasis?  Yes No Has the patient previously received Otezla or any other biologic medication indicated for the treatment of chronic, severe plaque psoriasis?  What is the percentage of body surface area (BSA) affected (prior to starting the requested medication)?  Please select:				
hypertension)  Other reason to avoid pharmacologic treatment  Does the patient have severe psoriasis that warrants a biologic DMARD as first-line therapy (i.e. at least 10% of the body surface area (BSA) or crucial body areas (e.g., hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) are affected)?  Please indicate the preferred alternatives for plaque psoriasis that have been ineffective, not tolerated, or are contraindicated:				
Humira   Ilumya   Otezla   Remicade   Skyrizi   Stelara   Taltz   Tremfya  Psoriatic arthritis				
☐ Yes ☐ No Has the patient been diagnosed with active psoriatic arthritis (PsA)?  Please indicate the preferred alternatives for psoriatic arthritis that have been ineffective, not tolerated, or are contraindicated:  ☐ Cosentyx ☐ Enbrel ☐ Humira ☐ Otezla ☐ Remicade ☐ Simponi Aria				
Pyoderma gangrenosum				
☐ Yes ☐ No Has the patient previously received a biologic medication indicated for the treatment of pyoderma gangrenosum?  ☐ Yes ☐ No Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy (e.g., cyclosporine or mycophenolate mofetil)?  ☐ Yes ☐ No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g.,				
cyclosporine or mycophenolate mofetil)?  Yes No Does the patient have a contraindication to corticosteroids and immunosuppressive therapy (e.g., cyclosporine mycophenolate mofetil)?				

Continued on next page



# Avsola™ (infliximab-axxq) Injectable **Medication Precertification Request**

Page 4 of 5

(All fields must be completed and legible for precertification review.)

For Ohio MMP:

FAX: 1-855-734-9389 **PHONE:** 1-855-364-0974

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB		
G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.					
Reactive arthritis					
☐ Yes ☐ No Has the patient previously received a biologic medication indicated for the treatment of reactive arthritis?  ☐ Yes ☐ No Has the patient experienced an inadequate response after at least 3 months of treatment with methotrexate titrated 20 mg per week?  ☐ Yes ☐ No Has the patient experienced intolerance to methotrexate?  ☐ Yes ☐ No Does the patient have a contraindication to methotrexate?  ☐ Please indicate the contraindication: ☐ History of intolerance or adverse event ☐ Alcoholism, alcoholic liver disease ☐ Elevated liver transaminases ☐ Interstitial pneumonitis or clinically significant pulmonary fibrosis ☐ Renal impairment ☐ Pregnancy or planning pregnancy ☐ Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia) ☐ Myelodysplasia ☐ Hypersensitivity ☐ Significant drug interaction ☐ Other					
Rheumatoid arthritis			, caner		
☐ Yes ☐ No Has the patient been diagnosed with moderately to severely active rheumatoid arthritis (RA)? ☐ Yes ☐ No Has the patient previously received a biologic or targeted synthetic disease modifying drug (e.g., Xeljanz) indicated for moderately to severely active rheumatoid arthritis? ☐ Yes ☐ No Is the requested medication being prescribed in combination with methotrexate or leflunomide? ☐ Please indicate a clinical reason for the patient to not use methotrexate or leflunomide: ☐ History of intolerance or adverse event ☐ Alcoholism, alcoholic liver disease ☐ Elevated liver transaminases ☐ Interstitial					
. ☐ Breastfeed	or clinically significant pulmonary fibrosis ling  Blood dyscrasias (e.g., thrombocyt citivity  Significant drug interaction				
<u> </u>	☐ Hypersensitivity ☐ Significant drug interaction ☐ Yes ☐ No Does the patient have other reason or no clinical reason not to use methotrexate or leflunomide?  ☐ Please explain:				
☐ ☐ Yes ☐ No	Has the patient experienced an inadequ		ths of treatment with the		
	methotrexate dose greater than or equa  → ☐ Yes ☐ No Has the patient experie		,		
		es the patient have a contraindica			
	Ple	ase indicate the contraindication:			
	☐ History of intolerance or adverse event				
	sigr plar thro	nificant pulmonary fibrosis 🔲 Re nning pregnancy 🔲 Breastfeedir	Interstitial pneumonitis or clinically nal impairment  Pregnancy or ng  Blood dyscrasias (e.g., ficant anemia)  Myelodysplasia rug interaction  Other		
Yes No Is the requested medication being prescribed in combination with methotrexate or leflunomide?					
Please indicate a clinical reason for the patient to not use methotrexate or leflunomide: ☐ History of intolerance or adverse event ☐ Alcoholism, alcoholic liver disease or other chronic liver disease ☐ Elevated liver transaminases ☐ Interstitial pneumonitis or clinically significant pulmonary fibrosis ☐ Renal impairment ☐ Pregnancy or planning pregnancy ☐ Breastfeeding ☐ Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia) ☐ Myelodysplasia ☐ Hypersensitivity ☐ Significant drug interaction ☐ Other ☐ No clinical reason not to use methotrexate or leflunomide					
Please indicate the preferred alternatives for rheumatoid arthritis have been ineffective, not tolerated, or are contraindicated:  Enbrel Humira Kevzara Orencia Remicade Rinvoq Simponi Aria Xeljanz/Xeljanz XR  Sarcoidosis					
Yes No Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy?					
Yes No Does the patient have a contraindication to corticosteroids and immunosuppressive therapy?					
Takayasu's arteritis					
Yes No Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?					
☐ Yes ☐ No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?					
Yes No Does the patient have a contraindication to corticosteroids and immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?					

Continued on next page



## Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

For Ohio MMP:

**FAX:** 1-855-734-9389 **PHONE:** 1-855-364-0974

For other lines of business:

Please use other form.

Note: Avsola is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB		
G. CLINICAL INFORMATION (co Ulcerative colitis	<b>ntinued)</b> – Required clinical information i	must be completed in its <u>entirety</u>	tor all precertification requests.		
	diagnosed with moderately to severely acti	ive ulcerative colitis (LIC)?			
	is the patient been hospitalized for fulminan		s bleeding severe toxic symptoms		
	luding fever and anorexia)?	t dioordayo oonao (o.g., oonanaoa	s sideding, develor texter dymptome,		
	is the patient previously received a biologic	or targeted synthetic disease mod	lifying drug (e.g., Xeljanz) indicated for		
	oderately to severely active ulcerative colitis				
	Yes 🔲 No Has the patient tried and had	d an inadequate response to at lea	ast one conventional therapy option?		
			intolerance to at least one conventional		
			muran], corticosteroid [e.g., budesonide,		
			dnisolone, prednisone, cyclosporine Pentasa, Canasa, Rowasa], mercaptopurine		
		ol], sulfasalazine, tacrolimus [Progr			
	[for pouch		<b>1</b>		
			osteroid (e.g., budesonide [Entocort, Uceris],		
			ethylprednisolone [Medrol, Solu-Medrol],		
			ne (e.g., Apriso, Asacol, Lialda, Pentas, Canasa, ☐ Tacrolimus (Prograf) ☐ Metronidazole		
	(Flagyl) or Ciprofloxacin (C		Tracrominas (Frograf)   Motionidazolo		
	ives for ulcerative colitis that have been iner	ffective, not tolerated, or are contra	aindicated:		
☐ Humira ☐ Entyvio ☐ Remicade ☐ Xeljanz ☐ Stelara (intravenous formulation)					
Uveitis					
	ously received a biologic medication indicat				
		sponse with corticosteroids or imn	nunosuppressive therapy (e.g., methotrexate,		
	athioprine, or mycophenolate mofetil)? ☐ Yes ☐ No Has the patient experience	ed an intolerance to corticosteroids	s and immunosuppressive therapy (e.g.		
		e, or mycophenolate mofetil)?	s and minunosuppressive therapy (e.g.,		
			o corticosteroids and immunosuppressive		
therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?					
<u> </u>	an ineffective response, contraindication or i	intolerance to Humira?			
For Continuation Requests:					
Yes No Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?					
Yes No Has the patient achieved or maintained positive clinical response as evidenced by low disease activity or improvement in signs and symptoms					
	ent with the requested drug?				
H. ACKNOWLEDGEMENT					
Request Completed By (Signatur	e Required):		Date: /		
any insurance company by providir		Is material information for the po	with the intent to injure, defraud or deceive urpose of misleading, commits a fraudulent		

The plan may request additional information or clarification, if needed, to evaluate requests.